



ARE WE OVER-VACCINATING OUR KIDS?

Since 1983, the number of vaccines the Centers for Disease Control recommends for our kids has more than tripled. During this same time period, we've seen an explosion in neurological disorders like ADHD and autism, particularly with our boys, who represent 4 out of 5 cases.

Are these increases related? Can there be too much of a good thing? Until now, no one could know for sure,

because no study had ever been done to compare the rate of neurological disorders between vaccinated and unvaccinated children.

CDC Mandatory Vaccine Schedule Comparison	
Children birth to 6 years, by year (recommended month)	
USA 1983	USA 2007
DTP (2)	Influenza (prenatal)
OPV (2)	Hep B (birth)
DTP (4)	Hep B (1)
OPV (4)	DTaP (2)
DTP (6)	Hib (2)
MMR (15)	IPV (2)
DTP (18)	PCV (2)
OPV (18)	Rotavirus (2)
DTP (48)	Hep B (4)
OPV (48)	DTaP (4)
	Hib (4)
	IPV (4)
	PCV (4)
	Rotavirus (4)
	Hep B (6)
	DTaP (6)
	Hib (6)
	IPV (6)
	PCV (6)
	Influenza (6)
	Rotavirus (6)
	Hib (12)
	MMR (12)
	Varicella (12)
	PCV (12)
	Hep A (12)
	DTaP (15)
	Hep A (18)
	Influenza (18)
	Influenza (30)
	Influenza (42)
	MMR (48)
	DTaP (48)
	IPV (48)
	Influenza (54)
	Influenza (66)
10	36

We commissioned a market research firm to survey more than 17,000 children in California and Oregon. We found that vaccinated boys had more than a 2.5-times greater rate of neurological disorders than unvaccinated boys. We believe a national study must be done to further explore these disturbing results.

Visit our site and read the results of our survey, as well

as find helpful information on how to vaccinate your child more safely. **Learn more at www.generationrescue.org**

A NEW SURVEY OF KIDS IN CALIFORNIA AND OREGON SAYS WE MAY WELL BE.